

## Tork Advanced Wiper 420 Green Roll

 24.0 cm |  510 m



<b>Article #</b>	129243
<b>System</b>	W1-Wall Stand/Floor Stand
<b>Color</b>	Green
<b>Print</b>	No
<b>Roll length</b>	510 m
<b>Roll width</b>	24.0 cm
<b>Diameter</b>	36.0 cm
<b>Sheets</b>	1500

## Product Features

Strong and bulky for heavy dirt  
Ideal for oil and grease  
Embossed surface: improved cleaning properties  
Economical

## Shipping

### Consumer Unit Specifications

Pcs/Con: 2

Gross weight/con: 10.99 kg

Net weight/con: 10.7712 kg

EAN Con: 7310791046907

### Transport unit specifications

Packaging trp: Plastic

Con/Trp: 1

Length, trp: 360 mm

Width, trp: 720 mm

Height, trp: 240 mm

Volume, trp: 0.06221 m<sup>3</sup>

Gross weight, trp: 10.99 kg

Net weight/trp: 10.7712 kg

Ean trp: 7310791046907

Pcs Trp: 2

Trp Pallet: 12

## **Environment**

### **Content**

Recycled fibres

Chemicals

### **Material**

Recycled fibres

Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important.

The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching; ECF (elementary chlorine free) (where chlorine dioxide is used), and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view .

The used functional chemicals are:

Wetstrength agent

Dry strength agent

Dye=if coloured

Fixing agents

Fluorescent whitening agent

Glue=if used

Softeners

The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids

Broke treatment chemicals

Drainage aid

Packaging

Fulfillment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = Ecolabel

This product is approved for Blue Angel.

Date of issue 2007-11-06

Revision date

SCA Hygiene Products AB, 405 03 Göteborg, SE

## **Production**

This product is produced at Kostheim mill, Germany, and certified according to ISO 9001:2000, ISO 14001 and EMAS.

## **Desctruction**

This product is mainly used for industrial processes and hence it will be contaminated with different substances. This will determine how the used product will be destroyed. The product itself is suitable for incineration. Contact local authorities before destruction.

## **A higher performing alternative**

[Tork Advanced Wiper 430 Green Roll](#)



© 2005 SCA Tissue Europe.

[Legal information](#). For corporate information about Tork, please visit [www.sca.com](http://www.sca.com).